## **IN THE CLAIMS**

1. (Currently Amended) A method for monitoring browsing activity of a visitor to a Web site, comprising:

loading a client program into an operating environment of a client machine of a visitor to a Web site;

artificially incrementing a reference count associated with the client program to maintain persistence of the client program in the operating environment during browsing by the visitor across a plurality of Web pages of the Web site;

monitoring client browsing activity of the visitor across the Web pages with the client program; and

uploading an indication of the browsing activity of the visitor over a network for processing.

- 2. (Original) The method of Claim 1, further comprising decrementing the reference count upon a specified event for automatic unloading of the client program from the operating environment of the client machine.
- 3. (Original) The method of Claim 1, wherein the client program comprises a self-decrementing object and the reference count is a reference count for the self-decrementing object.
- 4. (Original) The method of Claim 1, wherein the client program comprises a component object model (COM) object and the reference count is a reference count for the COM object.
- 5. (Original) The method of Claim 1, wherein the client program comprises an Active X control.
- 6. (Original) The method of Claim 1, wherein the reference count is incremented to a value greater than one.

- 7. (Original) The method of Claim 6, further comprising: decrementing the reference count to zero upon a specified event; and automatically unloading the client program from the operating environment of the client machine upon a zero reference count.
- 8. (Currently Amended) A client-side program for monitoring the browsing activity of a visitor to a Web site, comprising:

a medium; and

logic encoded on the medium, the logic operable to run in an operating environment of a client machine of a visitor to a Web site, <u>artificially</u> increment a reference count associated with the program to maintain persistence of the program during browsing activity of the visitor across a plurality of Web pages of the Web site, monitor browsing activity of the visitor across the Web pages and upload an indication of the browsing activity over a network for processing.

- 9. (Original) The client-side program of Claim 8, the logic further operable to decrement the reference count upon a specified event for automatic unloading of the program from the operating environment of the client machine.
- 10. (Original) The client-side program of Claim 8, wherein the logic comprises a self-decrementing object and the reference count is a reference count for the self-decrementing object.
- 11. (Original) The client-side program of Claim 8, wherein the logic comprises a component object model (COM) object and the reference count is a reference count for the COM object.
- 12. (Original) The client-side program of Claim 8, wherein the program comprises an Active X control.

- 13. (Original) The client-side program of Claim 8, the logic operable to increment the reference count to a value greater than one.
- 14. (Original) The client-side program of Claim 13, the logic further operable to decrement the reference count to zero upon a specified event and automatically unload the program from the operating environment of the client machine upon a zero reference count.
- 15. (Currently Amended) A monitoring program for monitoring the activity of a visitor to a Web site from a client machine of the visitor, comprising:

means for <u>artificially</u> incrementing a reference count associated with the monitoring program to maintain persistence of the monitoring program in an operating environment of the client machine during browsing activity of the visitor across a plurality of Web pages of the Web site;

means for monitoring browsing activity of the visitor across the Web pages with the monitoring program; and

means for uploading an indication of the browsing activity over a network for processing.

- 16. (Original) The monitoring program of Claim 15, further comprising means for decrementing the reference count upon a specified event for automatic unloading of the monitoring program from the operating environment of the client machine.
- 17. (Original) The monitoring program of Claim 15, wherein the monitoring program comprises a self-decrementing object and the reference count is a reference count for the self-decrementing object.
- 18. (Original) The monitoring program of Claim 15, wherein the monitoring program comprises a component object model (COM) object and the reference count is a reference count for the COM object.

- 19. (Original) The monitoring program of Claim 15, wherein the monitoring program comprises an Active X control.
- 20. (Original) The monitoring program of Claim 15, wherein the reference count is incremented to a value greater than one.
- 21. (Original) The monitoring program of Claim 15, further comprising: means for decrementing the reference count to zero upon a specified event; and means for automatically unloading the monitoring program from the operating environment of the client machine upon a zero reference count.
- 22. (Currently Amended) A method for controlling the persistence of a component object model (COM) object downloaded over the Internet and loaded into an operating environment of a client machine, comprising:

artificially incrementing an internal reference count of the COM object to a value greater than one to maintain persistence of the COM object in an operating environment of the client machine during browsing activity across a plurality of Web pages; and

decrementing the internal reference count to zero upon a specified event for automatic unloading of the COM object from the operating environment of the client machine.

- 23. (Original) The method of Claim 22, wherein the persistence of the COM object in the operating environment is maintained across a plurality of Web sites.
- 24. (Original) The method of Claim 22, wherein at least one of the Web pages is associated with a first Web site and at least one of the Web pages is associated with a second Web site distinct from the first Web site.